Amendments to the Claims

Kindly cancel claim 15 and amend claim 8 as indicated in the listing below without prejudice to the subject matter involved. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Withdrawn): A method of combating and controlling insects, acarines, nematodes or molluscs which comprises applying to a pest, to a locus of a pest, or to a plant susceptible to attack by a pest an insecticidally, acaricidally, nematicidally or molluscicidally effective amount of a compound of formula (I):



(I)

wherein Y is a single bond, C=O, C=S or $S(O)_q$ where q is 0, 1 or 2; R^1 is hydrogen, optionally substituted alkyl, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl, aminocarbonyl, optionally substituted alkylaminocarbonyl, optionally substituted dialkylaminocarbonyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, optionally substituted heterocyclyloxy, cyano, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted cycloalkyl, optionally substituted cycloalkenyl, formyl, optionally substituted heterocyclyl, optionally substituted alkylthio, NO or $NR^{13}R^{14}$ where R^{13} and R^{14} are independently hydrogen, COR^{40}, optionally substituted alkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heterocyclyl or R^{13} and R^{14} together with the N atom to which they are attached form a group $-N=C(R^{41})-NR^{42}R^{43}$; R^2 and R^3 are independently hydrogen, halogen, cyano, optionally substituted alkyl, optionally substituted alkoxy, optionally substituted aryl or $C(O)NR^{15}R^{16}$ where R^{15} and R^{16} are independently hydrogen, optionally substituted alkyl, optionally

substituted aryl, optionally substituted heteroaryl or optionally substituted heterocyclyl, or R^2 and R^3 together are =O, or R^2 and R^3 together with the atoms to which they are attached form a 4, 5, 6,or 7 membered carbocyclic or heterocyclic ring; each R^4 is independently halogen, nitro, cyano, optionally substituted C_{1-8} alkyl, optionally substituted C_{2-6} alkenyl, optionally substituted C_{2-6} alkynyl, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl, optionally substituted alkylaminocarbonyl, optionally substituted dialkylaminocarbonyl, optionally substituted C_{3-7} cycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heterocyclyl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, optionally substituted alkylthio or $R^{19}R^{20}N$ where R^{19} and R^{20} are, independently, hydrogen, C_{1-8} alkyl, C_{3-7} cycloalkyl, C_{3-6} alkenyl, C_{3-6} alkynyl, C_{3-7} cycloalkyl(C_{1-4})alkyl, C_{2-6} haloalkyl, C_{1-6} alkoxy(C_{1-6})alkyl, C_{1-6} alkoxycarbonyl or R^{19} and R^{20} together with the N atom to which they are attached form a five, six or seven-membered heterocyclic ring which may contain one or two further heteroatoms selected from O, N or S and which may be optionally substituted by one or two C_{1-6} alkyl groups, or 2 adjacent groups R^4 together with the carbon atoms to which they are attached form a 4, 5, 6,or 7 membered carbocyclic or heterocyclic ring which may be optionally substituted by halogen; n is 0, 1, 2, 3 or 4; R^8 is optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted alkoxy, optionally substituted aryloxy, optionally substituted alkoxycarbonyl, optionally substituted alkylcarbonyl or optionally substituted alkenylcarbonyl; R^9 and R^{10} are independently hydrogen, halogen, optionally substituted alkyl, optionally substituted aryl or R^9 and R^{10} together form a group $-CH_2-$, $-CH=CH-$ or $-CH_2CH_2-$; R^{40} is H, optionally substituted alkyl, optionally substituted alkoxy, optionally substituted aryl, optionally substituted aryloxy optionally substituted heteroaryl, optionally substituted heteroaryloxy or $NR^{44}R^{45}$; R^{41}, R^{42} and R^{43} are each independently H or lower alkyl; R^{44} and R^{45} are independently optionally substituted alkyl, optionally substituted aryl or optionally substituted heteroaryl or salts or N-oxides thereof.

Claim 2 (Withdrawn): A method according to claim 1 wherein Y is a bond or is C=O.

Claim 3 (Withdrawn): A method according to claim 1 wherein R^1 is hydrogen, C_{1-6} alkyl, C_{1-6} cyanoalkyl, C_{1-6} haloalkyl, C_{3-7} cycloalkyl(C_{1-4})alkyl, C_{1-6} alkoxy(C_{1-6})alkyl, heteroaryl(C_{1-6})alkyl (wherein the heteroaryl group may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkylsulfonyl, C_{1-6} alkylsulfinyl, C_{1-6} alkylthio, C_{1-6} alkoxycarbonyl, C_{1-6} alkylcarbonylamino, arylcarbonyl, or two adjacent positions on the heteroaryl system may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself

optionally substituted with halogen), aryl(C_{1-6})alkyl (wherein the aryl group may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkylsulfonyl, C_{1-6} alkylsulfinyl, C_{1-6} alkylthio, C_{1-6} alkoxycarbonyl, C_{1-6} alkylcarbonylamino, arylcarbonyl, or two adjacent positions on the aryl system may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen), C_{1-6} alkylcarbonylamino(C_{1-6})alkyl, aryl (which may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkylsulfonyl, C_{1-6} alkylsulfinyl, C_{1-6} alkylthio, C_{1-6} alkoxycarbonyl, C_{1-6} alkylcarbonylamino, arylcarbonyl, or two adjacent positions on the aryl system may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen), heteroaryl (which may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkylsulfonyl, C_{1-6} alkylsulfinyl, C_{1-6} alkylthio, C_{1-6} alkoxycarbonyl, C_{1-6} alkylcarbonylamino, arylcarbonyl, or two adjacent positions on the heteroaryl system may be cyclised to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring, itself optionally substituted with halogen), C_{1-6} alkoxy, C_{1-6} haloalkoxy, phenoxy (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), heteroaryloxy (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heterocycyloxy (optionally substituted by halo, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), cyano, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{5-7} cycloalkenyl, heterocyclyl (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), C_{1-6} alkylthio, C_{1-6} haloalkylthio or $NR^{13}R^{14}$ where R^{13} and R^{14} are independently hydrogen, C_{2-6} alkyl, C_{2-6} haloalkyl, phenyl (which may be optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino, dialkylamino or C_{1-4} alkoxycarbonyl) or heteroaryl (which may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy, C_{1-4} alkoxycarbonyl C_{1-6} alkylcarbonylamino, phenyloxycarbonylamino (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), amino, C_{1-6} alkylamino or phenylamino (wherein the phenyl group is optionally substituted halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino).

Claim 4 (Withdrawn): A method according to claim 1, wherin R^2 and R^3 are are independently hydrogen or C_{1-4} alkyl.

Claim 5 (Withdrawn): A method according to claim 1, wherein each R^4 is independently halogen, cyano, C_{1-8} alkyl, C_{1-8} haloalkyl, C_{1-6} cyanoalkyl, C_{1-6} alkoxy(C_{1-6})alkyl, C_{3-7} cycloalkyl(C_{1-6})alkyl, C_{5-6} cycloalkenyl(C_{1-6})alkyl, C_{3-6} alkenyloxy(C_{1-6})alkyl, C_{3-6} alkynyloxy(C_{1-6})alkyl, aryloxy(C_{1-6})alkyl, C_{1-6} carboxyalkyl, C_{1-6} alkylcarbonyl(C_{1-6})alkyl, C_{2-6} alkenylcarbonyl(C_{1-6})alkyl, C_{2-6} alkynylcarbonyl(C_{1-6})-alkyl, C_{1-6} alkoxycarbonyl(C_{1-6})alkyl, C_{3-6} alkenyloxycarbonyl(C_{1-6})alkyl, C_{3-6} alkynyloxycarbonyl(C_{1-6})alkyl, aryloxycarbonyl(C_{1-6})alkyl, C_{1-6} alkylthio(C_{1-6})alkyl, C_{1-6} alkylsulfinyl(C_{1-6})alkyl, C_{1-6} alkylsulfonyl(C_{1-6})alkyl, aminocarbonyl(C_{1-6})alkyl, C_{1-6} alkylaminocarbonyl(C_{1-6})alkyl, di(C_{1-6})alkylaminocarbonyl(C_{1-6})alkyl, phenyl(C_{1-4})alkyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), heteroaryl(C_{1-4})alkyl (wherein the heteroaryl group is optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heterocyclyl(C_{1-4})alkyl (wherein the heterocyclyl group is optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), C_{2-6} alkenyl, aminocarbonyl(C_{2-6})alkenyl, C_{1-6} alkylaminocarbonyl(C_{2-6})-alkenyl, di(C_{1-6})alkylaminocarbonyl(C_{2-6})alkenyl, phenyl(C_{2-4})alkenyl, (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), C_{2-6} alkynyl, trimethylsilyl(C_{2-6})alkynyl, aminocarbonyl(C_{2-6})alkynyl, C_{1-6} alkylaminocarbonyl(C_{2-6})alkynyl, di(C_{1-6})alkylaminocarbonyl(C_{2-6})alkynyl, C_{1-6} alkoxycarbonyl, C_{3-7} cycloalkyl, C_{3-7} halocycloalkyl, C_{3-7} cyanocycloalkyl, C_{1-3} alkyl(C_{3-7})-cycloalkyl, C_{1-3} alkyl(C_{3-7})halocycloalkyl,phenyl (optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), heteroaryl (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heterocyclyl (wherein the heterocyclyl group is optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), or 2 adjacent groups R^4 together with the carbon atoms to which they are attached form a 4, 5, 6,or 7 membered carbocylic or heterocyclic ring which may be optionally substituted by halogen, C_{1-8} alkoxy, C_{1-6} haloalkoxy, phenoxy (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heteroaryloxy (optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), C_{1-8} alkylthio or $R^{19}R^{20}N$ where R^{19} and R^{20} are, independently, hydrogen, C_{1-8} alkyl, C_{3-7} cycloalkyl, C_{3-6} alkenyl, C_{3-6} alkynyl, C_{2-6} haloalkyl, C_{1-6} alkoxycarbonyl or R^{19} and R^{20} together with the N atom to which they are attached form a five, six or seven-membered heterocyclic ring which may contain one or two further heteroatoms selected from O, N or S and which may be optionally substituted by one or two C_{1-6} alkyl groups; n is 0, 1, 2, 3 or 4.

Claim 6 (Withdrawn): A method according to claim 1, wherin R^8 is C_{1-10} alkyl, C_{1-10} haloalkyl, aryl(C_{1-6})alkyl (wherein the aryl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), heteroaryl(C_{1-6})alkyl (wherein the heteroaryl group is optionally substituted halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), arylcarbonyl-(C_{1-6})alkyl (wherein the aryl group may be optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino and the alkyl group may be optionally substituted by aryl), C_{2-8} alkenyl, C_{2-8} haloalkenyl, aryl(C_{2-6})alkenyl (wherein the aryl group is optionally substituted halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino, C_{1-6} alkoxycarbonyl, or two adjacent substituents can cyclise to form a 5, 6 or 7 membered carbocyclic or heterocyclic ring), C_{2-6} alkynyl, phenyl(C_{2-6})alkynyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), C_{3-7} cycloalkyl, C_{1-6} alkoxycarbonyl, C_{1-6} alkylcarbonyl, C_{1-6} haloalkylcarbonyl or aryl(C_{2-6})alkenylcarbonyl (wherein the aryl group may be optionally substituted halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino), or $-C(R^{51})(R^{52})-[CR^{53}=CR^{54}]z-R^{55}$ where z is 1 or 2, R^{51} and R^{52} are each independently H, halo or C_{1-2} alkyl, R^{53} and R^{54} are each independently H, halogen, C_{1-4} alkyl or C_{1-4} haloalkyl and R^{55} is optionally substituted aryl or optionally substituted heteroaryl.

Claim 7 (Withdrawn): A method according to claim 1, wherein R^9 and R^{10} are both hydrogen.

Claim 8 (Currently amended): A compound of formula IK



wherein Y is a single bond, C=O or $S(O)_q$ where q is 0, 1 or 2; R^1 is C_{1-8} alkyl, C_{1-6} haloalkyl, C_{1-6} cyanoalkyl, C_{3-7} cycloalkyl(C_{1-6})alkyl, C_{1-6} alkoxy(C_{1-6})alkyl, C_{3-6} alkenyloxy-(C_{1-6})alkyl, C_{3-6} alkynyloxy(C_{1-6})alkyl, aryloxy(C_{1-6})alkyl, C_{1-6} carboxyalkyl, C_{1-6} alkylcarbonyl(C_{1-6})alkyl, C_{2-6} alkenylcarbonyl(C_{1-6})alkyl, C_{2-6} alkynylcarbonyl(C_{1-6})alkyl, C_{1-6} alkoxycarbonyl(C_{1-6})alkyl, C_{3-6} alkenyloxycarbonyl(C_{1-6})-alkyl, C_{3-6} alkynyloxycarbonyl(C_{1-6})alkyl, aryloxycarbonyl(C_{1-6})alkyl, C_{1-6} alkylthio(C_{1-6})-alkyl, C_{1-6} alkylsulfinyl(C_{1-6})alkyl, C_{1-6} alkylsulfonyl(C_{1-6})alkyl, aminocarbonyl(C_{1-6})alkyl, C_{1-6} alkylaminocarbonyl(C_{1-6})alkyl, di(C_{1-6})alkylaminocarbonyl(C_{1-6})alkyl, phenyl(C_{1-4})alkyl (wherein the phenyl group is optionally substituted by halogen, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heteroaryl(C_{1-4})alkyl (wherein the heteroaryl group may be substituted by halogen, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heterocyclyl(C_{1-4})alkyl (wherein the heterocyclyl group may be substituted by halogen, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), phenyl (optionally substituted by halogen, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), heteroaryl (optionally substituted by halogen, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{2-6} alkenyl, C_{2-6} haloalkenyl, C_{2-6} cyanoalkenyl, C_{2-6} alkynyl, C_{3-7} cycloalkyl, formyl, heterocyclyl (optionally substituted by halogen, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy) or C_{1-6} alkylthio; R^2 and R^3 are independently hydrogen or C_{1-4} alkyl; each R^4 is independently halogen, cyano, C_{1-10} alkyl optionally substituted by C_{1-6} alkoxy, halogen, phenyl (itself optionally substituted by halogen, C_{1-4} alkyl or C_{1-4} alkoxy), C_{2-6} alkenyl optionally substituted by C_{1-6} alkoxy, halogen, phenyl (itself optionally substituted by halogen, C_{1-4}

alkyl or C_{1-4} alkoxy) or C_{2-6} alkynyl optionally substituted by C_{1-6} alkoxy, halogen, phenyl (itself optionally substituted by halogen, C_{1-4} alkyl or C_{1-4} alkoxy); n is 0, 1, 2, 3 or 4; R^8 is -$C(R^{51})(R^{52})$-$[CR^{53}=CR^{54}]_z$-R^{55} where z is 1 or 2, preferably 1, R^{51} and R^{52} are each independently H, halo or C_{1-2} alkyl, R^{53} and R^{54} are each independently H, halogen, C_{1-4} alkyl or C_{1-4} haloalkyl and R^{55} is phenyl substituted by halogen, C_{1-4} alkyl, or C_{1-4} alkoxy ~~C_{1-10} alkyl optionally substituted by C_{1-6} alkoxy, halogen or phenyl (itself optionally substituted by halogen, C_{1-4} alkyl or C_{1-4} alkoxy), C_{2-6} alkenyl optionally substituted by C_{1-6} alkoxy, halogen or phenyl (itself optionally substituted by halogen, C_{1-4} alkyl or C_{1-4} alkoxy) or C_{2-6} alkynyl optionally substituted by C_{1-6} alkoxy, halogen or phenyl (itself optionally substituted by halogen, C_{1-4} alkyl or C_{1-4} alkoxy)~~; R^9 and R^{10} are both hydrogen; and salts or N-oxides thereof provided that R^8 is not methyl and YR^1 is not SO_2CH_3, methyl, ethyl, phenyl or fluoro-substituted phenyl.

Claim 9 (Withdrawn): A compound of formula (11)



(11)

where R^8 is phenyl(C_{2-4})alkenyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, or C_{1-4} alkoxy~~, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamine~~); or a compound of formula (10)



(10)

where R^8 is phenyl(C_{2-4})alkenyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, or C_{1-4} alkoxy~~, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamine~~); or a compound of formula (9)



(9)

where R^2 is as defined for formula (I) in claim 1 and R^8 is phenyl(C_{2-4})alkenyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, or C_{1-4} alkoxy~~, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino~~); or a compound of formula (9A)



(9A)

where R^2 and where $(R^4)n$ are as defined for formula (I~~K~~) in claim ~~1~~ 8 and R^8 is phenyl(C_{2-4})alkenyl (wherein the phenyl group is optionally substituted by halogen, C_{1-4} alkyl, or C_{1-4} alkoxy~~, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, NO_2, aryl, heteroaryl, amino or dialkylamino~~).

Claim 10 (Previously presented): An insecticidal, acaricidal ~~and~~ or nematicidal composition comprising an insecticidally, acaricidally or nematicidally effective amount of a compound of formula I~~K~~ as defined in claim ~~1~~ 8.

Claim 11. (Previously presented) A compound according to claim 8 wherein Y is a single bond, C=O or SO_2.

Claim 12. (Previously presented) A compound according to claim 8 wherein R^1 is C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy(C_{1-6})alkyl, heteroaryl(C_{1-3})alkyl (wherein the heteroaryl group may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, or C_{1-6} haloalkoxy), phenyl(C_{1-3})alkyl (wherein the phenyl group may be optionally substituted by halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, or NO_2), phenyl (which may be optionally substituted by

halogen, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, CN, or NO_2), heteroaryl (which may be optionally substituted by halo, nitro, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, or C_{1-6} haloalkoxy), C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{2-6} alkenyl, heterocyclyl (optionally substituted by halo, cyano, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy or C_{1-6} haloalkoxy), or C_{1-6} alkylthio.

Claim 13. (Previously presented) A compound according to claim 8 wherein R^2 and R^3 are independently hydrogen or methyl.

Claim 14. (Previously presented) A compound according to claim 8 wherein each R^4 is independently fluoro, chloro, bromo, cyano, C_{1-4} alkyl, C_{1-4} haloalkyl, or C_{1-3} alkoxy(C_{1-3})alkyl; n is 0, 1 or 2.

Claim 15. (Canceled)